AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

- 1. (Currently amended) A liquid absorbent material comprising an open-cell polymeric foam material comprising either polysaccharide or polypeptide, the foam material comprising a distribution of pore sizes between 0 and 3 µm, the foam material having an absorption rate at wetting of at least 0.4 ml/s for a round sample having a 50 mm diameter, a liquid distribution capacity at an inclination of 30° of at least 15 g/g and a liquid storage capacity of at least 9% measured through centrifuge retention capacity, for synthetic urine test liquid.
- 2. (Previously presented) A liquid absorbent material as claimed in claim 1, wherein the absorption rate at wetting is at least 0.5 ml/s, the liquid distribution capacity at an inclination of 30° is at least 16 g/g, and the liquid storage capacity measured through centrifuge retention capacity is at least 11%.
 - 3. (Canceled)
- 4. (Previously presented) A liquid absorbent material as claimed in claim 1, wherein the foam material contains fibers in its pore system.
- 5. (Previously presented) An absorbent structure in an absorbent article, wherein the absorbent structure comprises a liquid absorbent material according to claim 1.
- 6. (Previously presented) An absorbent structure as claimed in claim 5, wherein said absorbent structure is comprised solely of said foam material.
- 7. (Previously presented) An absorbent structure as claimed in claim 5, wherein the foam material has a three-dimensional anatomic shape.

- 8. (Previously presented) A liquid absorbent material as set forth in claim 1, wherein the liquid absorbent material is used in an absorbent structure in an absorbent article and the absorbent article is a diaper, a pant diaper, a sanitary napkin, an incontinence guard, a wound dressing, or a bed protection.
- 9. (Previously presented) An absorbent structure in an absorbent article as claimed in claim 5, wherein the absorbent article is a diaper, a pant diaper, a sanitary napkin, an incontinence guard, a wound dressing, or a bed protection.
- 10. (Previously presented) A liquid absorbent material as claimed in claim 20, wherein the gel liquid absorption is at least 5 g/g synthetic urine.
- 11. (Previously presented) A liquid absorbent material as claimed in claim 20, wherein the capillary liquid absorption is at least 10 ml/g synthetic urine.
- 12. (Previously presented) A liquid absorbent material as claimed in claim 20, wherein the gel liquid absorption is at least 5 g/g synthetic urine and the capillary liquid absorption is at least 10 ml/g synthetic urine.
- 13. (Previously presented) A liquid absorbent material comprising an open-cell polymeric foam material comprising either polysaccharide or polypeptide, the foam material having a first distribution of pore sizes between 0 and 3 µm and a second distribution of pore sizes between 3 and 100 µm, the foam material having an absorption rate at wetting of at least 0.4 ml/s for a round sample having a 50 mm diameter, a liquid distribution capacity at an inclination of 30° of at least 15 g/g, and a liquid storage capacity of at least 9% measured through centrifuge retention capacity, for synthetic urine test liquid.
- 14. (Previously presented) A liquid absorbent material comprising an open-cell polymeric foam material comprising either polysaccharide or polypeptide, the foam material having pore sizes between 0 and 500 µm, the foam material having an absorption rate at wetting of at least 0.4 ml/s for a round sample having a

50 mm diameter, a liquid distribution capacity at an inclination of 30° of at least 15 g/g, and a liquid storage capacity of at least 9% measured through centrifuge retention capacity, for synthetic urine test liquid.

15. (Previously presented) A liquid absorbent material comprising an open-cell polymeric foam material comprising either polysaccharide or polypeptide, the foam material having a first distribution of pore sizes between 0 and 3 µm and a second distribution of pore sizes between 3 and 500 µm, the foam material having an absorption rate at wetting of at least 0.4 ml/s for a round sample having a 50 mm diameter, a liquid distribution capacity at an inclination of 30° of at least 15 g/g, and a liquid storage capacity of at least 9% measured through centrifuge retention capacity, for synthetic urine test liquid.

16. – 19. (Canceled)

20. (Previously presented) A liquid absorbent material as claimed in claim 1, having a first distribution of pores with a diameter less than 3 μm which produces a gel liquid absorption of at least 4 g/g synthetic urine, and

a second distribution of pores with a diameter between 3 and 100 µm which produces a capillary liquid absorption of at least 8 ml/g.